List of Contents

NUMBER 1

B. N. Rao and **S. Rahman** — 1 Mesh-free analysis of cracks in isotropic functionally graded materials

N. Sukumar, D. L. Chopp and **B. Moran** — 29 Extended finite element method and fast marching method for three-dimensional fatigue crack propagation

D. L. McDowell, K. Gall, M. F. Horstemeyer and **J. Fan** — 49 Microstructure-based fatigue modeling of cast A356-T6 alloy

A. W. Momberz — 81 The efficiency of mechanical concrete comminution

A. Ural, A. T. Zehnder and **A. R. Ingraffea** — 93 Fracture mechanics approach to facesheet delamination in honeycomb: measurement of energy release rate of the adhesive bond

O. Song, T.-W. Ha and **L. Librescu** — 105 Dynamics of anisotropic composite cantilevers weakened by multiple transverse open cracks

Mohsen A. Issa, Mahmoud A. Issa, Md. S. Islam and **A. Chudnovsky** — 125 Fractal dimension—a measure of fracture roughness and toughness of concrete

139 Calendar

NUMBER 2

141 Publisher's Note

F. Shang, M. Kuna and **M. Abendroth** — 143 Finite element analyses of three-dimensional crack problems in piezoelectric structures

S. T. Lie, C. K. Lee and **S. M. Wong** — 161 Model and mesh generation of cracked tubular Y-joints

V. P. Bennett and **D. L. McDowell** — 185 Crack tip displacements of microstructurally small surface cracks in single phase ductile polycrystals

K. L. Roe and **T. Siegmund** — 209 An irreversible cohesive zone model for interface fatigue crack growth simulation

B. R. K. Blackman, H. Hadavinia, A. J. Kinloch, M. Paraschi and **J. G. Williams** — 233 The calculation of adhesive fracture energies in mode I: revisiting the tapered double cantilever beam (TDCB) test

doi:10.1016/S0013-7944(03)00238-8

M. Schöllmann, M. Fulland and **H. A. Richard** 249 Development of a new software for adaptive crack growth simulations in 3D structures

L. J. Gray, A.-V. Phan, G. H. Paulino and **T. Kaplan** 269 Improved quarter-point crack tip element

P. B. N. Prasad and **K. R. Y. Simha** 285 Interface crack around circular inclusion: SIF, kinking, debonding energetics

O. Samudrala and **A. J. Rosakis** 309 Effect of loading and geometry on the subsonic/intersonic transition of a bimaterial interface crack

P. Qiao, J. Wang and **J. F. Davalos** 339 Tapered beam on elastic foundation model for compliance rate change of TDCB specimen

Technical Note
J. Englund 355 Fast, accurate, and stable algorithm for the stress field around a zig-zag-shaped crack

365 Calendar

I Keywords

NUMBERS 3–4

J. C. Newman Jr. and **U. Zerbst** 367 Editorial

J. C. Newman Jr., M. A. James and **U. Zerbst** 371 A review of the CTOA/CTOD fracture criterion

W. R. Lloyd 387 Microtopography for ductile fracture process characterization Part 1: Theory and methodology

W. R. Lloyd and **F. A. McClintock** 403 Microtopography for ductile fracture process characterization Part 2: application for CTOA analysis

J. Heerens and **M. Schödel** 417 On the determination of crack tip opening angle, CTOA, using light microscopy and δ_5 measurement technique

L. Ma, P. W. Lam, M. T. Kokaly and **A. S. Kobayashi** 427 CTOA of a stable crack in a thin aluminum fracture specimen

S. Mahmoud and **K. Lease** 443 The effect of specimen thickness on the experimental characterization of critical crack-tip-opening angle in 2024-T351 aluminum alloy

M. A. James and **J. C. Newman Jr.** 457 The effect of crack tunneling on crack growth: experiments and CTOA analyses

R. W. Hampton and **D. Nelson** 469 Stable crack growth and instability prediction in thin plates and cylinders

J. C. Newman Jr., **D. S. Dawicke** and **B. R. Seshadri** 493 Residual strength analyses of stiffened and un-stiffened panels—Part I: laboratory specimens

B. R. Seshadri, **J. C. Newman Jr.** and **D. S. Dawicke** 509 Residual strength analyses of stiffened and unstiffened panels—Part II: wide panels

C.-I. Hsu, J. Lo, J. Yu, X.-g. Lee and **P. Tan** 525 Residual strength analysis using CTOA criteria for fuselage structures containing multiple site damage

D. J. Horsley 547 Background to the use of CTOA for prediction of dynamic ductile fracture arrest in pipelines

P. Salvini, A. Fonzo and **G. Mannucci** 553 Identification of CTOA and fracture process parameters by drop weight test and finite element simulation

D. L. Rudland, **G. M. Wilkowski, Z. Feng**, **Y.-Y. Wang, D. Horsley** and **A. Glover** 567 Experimental investigation of CTOA in linepipe steels

579 Calendar

I Keywords

NUMBER 5

Z. Li and **Q. Chen** 581 Some simple formulas to predict the variation of stress intensity factors for mode I crack induced by near crack-tip inclusion

H. Qiu, M. Enoki, **Y. Kawaguchi** and **T. Kishi** 589 A model for the dynamic fracture toughness of ductile structural steel

H. Qiu, M. Enoki, **Y. Kawaguchi** and **T. Kishi** 599 A model for the static fracture toughness of ductile structural steel

F. Barpi and **S. Valente** 611 Creep and fracture in concrete: a fractional order rate approach

J. H. Kim 625 Non-orthogonal stress modes for interfacial fracture based on local plastic dissipation

S. Shen and **T. Nishioka** 643 Theoretical development of the method of caustics for intersonically propagating interfacial crack

T. Meshii and **K. Watanabe** 657 Stress intensity factor error index for finite element analysis with singular elements

N. Pan and **S. D. Sheppard** 671 Stress intensity factors in spot welds

D. V. Kubair, P. H. Geubelle and **Y. Y. Huang** 685 Analysis of a rate-dependent cohesive model for dynamic crack propagation

705 Calendar

I Keywords

NUMBER 6

C. P. Providakis 707 Viscoplastic BEM fracture analysis of creeping metallic cracked structures in plane stress using complex variable techniques

B. Kerezsi, J. W. H. Price and **R. Ibrahim** 721 A two-stage model for predicting crack growth due to repeated thermal shock

X. Wang 731 Elastic *T*-stress solutions for semi-elliptical surface cracks in finite thickness plates

R. Rizza and **K. Meade** 757 No-slip crack model for damaged bone/cement interface

D. A. Burianek, A. E. Giannakopoulos and **S. M. Spearing** 775 Modeling of facesheet crack growth in titanium–graphite hybrid laminates, Part I

D. A. Burianek and **S. M. Spearing** 799 Modeling of facesheet crack growth in titanium–graphite hybrid laminates. Part II: Experimental results

Technical Notes

D. Shen and **T. Fan** 813 Exact solutions of two semi-infinite collinear cracks in a strip

S. X. Xu and **D. L. Chen** 823 Geometric correction factors for center cracked specimens subjected to nonlinear bridging stresses in the shear lag model

831 Acknowledgement of Referees

835 Calendar

I Keywords

NUMBERS 7–8

J. G. M. van Mier, J. Mazars, G. Pijaudier-Cabot and **R. de Borst** — 837 Foreword

O. Bayard and **O. Plé** — 839 Fracture mechanics of reactive powder concrete: material modelling and experimental investigations

H. Takashima, K. Miyagai, T. Hashida and **V. C. Li** — 853 A design approach for the mechanical properties of polypropylene discontinuous fiber reinforced cementitious composites by extrusion molding

F.-J. Ulm, E. Lemarchand and **F. H. Heukamp** — 871 Elements of chemomechanics of calcium leaching of cement-based materials at different scales

F. Bangert, S. Grasberger, D. Kuhl and **G. Meschke** — 891 Environmentally induced deterioration of concrete: physical motivation and numerical modeling

E. N. Landis, E. N. Nagy and **D. T. Keane** — 911 Microstructure and fracture in three dimensions

G. Lilliu and **J. G. M. van Mier** — 927 3D lattice type fracture model for concrete

A. Delaplace, S. Roux and **G. Pijaudier-Cabot** — 943 Study of avalanches during the fracture of discrete models

B. Patzák and **M. Jirásek** — 957 Process zone resolution by extended finite elements

B. L. Karihaloo, H. M. Abdalla and **Q. Z. Xiao** — 979 Size effect in concrete beams

A. Carpinteri, G. Ferro and **G. Ventura** — 995 Size effects on flexural response of reinforced concrete elements with a nonlinear matrix

J. H. Hanson and **A. R. Ingraffea** — 1015 Using numerical simulations to compare the fracture toughness values for concrete from the size-effect, two-parameter and fictitious crack models

H. Horii and **S.-C. Chen** 1029 Computational fracture analysis of concrete gravity dams by crack-embedded elements—toward an engineering evaluation of seismic safety

R. Lackner and **H. A. Mang** 1047 Cracking in shotcrete tunnel shells

D. Ferretti and **M. Savoia** 1069 Non-linear model for R/C tensile members strengthened by FRP-plates

P. Kotronis, J. Mazars and **L. Davenne** 1085 The equivalent reinforced concrete model for simulating the behavior of walls under dynamic shear loading

1099 Calendar

I Keywords

NUMBER 9

K. Tanaka, Y. Akiniwa, H. Kimachi and **Y. Kita** 1101 R-curve behavior in fracture of notched porous ceramics

Y. P. Li, L. G. Tham, Y. H. Wang and **Y. Tsui** 1115 A modified Kachanov method for analysis of solids with multiple cracks

A. N. Cassanelli, R. Cocco and **L. A. de Vedia** 1131 Separability property and η_{pl} factor in ASTM A387-Gr22 steel plate

T. Fett, R. Keller, D. Munz, E. Ernst and **G. Thun** 1143 Fatigue of alumina under contact loading

S. Cheung and **A. R. Luxmoore** 1153 A finite element analysis of stable crack growth in an aluminium alloy

S. P. Heo and **W. H. Yang** 1171 Approximate weight function method for elliptical arc through cracks in mechanical joints

W. Xie and **S. K. Sitaraman** 1193 An experimental technique to determine critical stress intensity factor for delamination initiation

Y. Fujimoto, E. Shintaku, G. Pirker and **G. Liu** 1203 Piezoelectric sensor for stress intensity factor measurement of two dimensional cracks

G. Borino and **C. Polizzotto** 1219 Letter to the editor

C. S. Chang, H. Askes and **L. J. Sluys** 1223 Reply to Letter to the Editor

1225 Calendar

I Keywords

NUMBER 10

S.-h. Chi and **Y.-L. Chung** 1227 Cracking in coating–substrate composites with multi-layered and FGM coatings

J.-i. Jang, B.-W. Lee, J.-B. Ju, D. Kwon and **W.-s. Kim** 1245 Experimental analysis of the practical LBZ effects on the brittle fracture performance of cryogenic steel HAZs with respect to crack arrest toughness near fusion line

A. C. O. Miranda, M. A. Meggiolaro, J. T. P. Castro, L. F. Martha and **T. N. Bittencourt** 1259 Fatigue life and crack path predictions in generic 2D structural components

J. Fan, D. L. McDowell, M. F. Horstemeyer and **K. Gall** 1281 Cyclic plasticity at pores and inclusions in cast Al–Si alloys

V. Ricci, A. Shukla and **M. Kavaturu** 1303 Using strain gages to investigate subsonic dynamic interfacial fracture in an isotropic–isotropic bimaterial

K. Sriram, R. Narasimhan and **S. K. Biswas** 1323 A numerical fracture analysis of indentation into thin hard films on soft substrates

Z. Wu and **J. Yin** 1339 Fracturing behaviors of FRP-strengthened concrete structures

1357 Calendar

I Keywords

NUMBER 11

G.-B. An, M. Ohata and **M. Toyoda** 1359 Effect of strength mis-match and dynamic loading on ductile fracture initiation

L. P. Borrego, J. M. Ferreira, J. M. Pinho da Cruz and **J. M. Costa** 1379 Evaluation of overload effects on fatigue crack growth and closure

O. Gruebner, M. Kamlah and **D. Munz** 1399 Finite element analysis of cracks in piezoelectric materials taking into account the permittivity of the crack medium

J. P. Tronskar, M. A. Mannan, M. O. Lai, G. Sigurdsson and **K. O. Halsen** 1415 Crack tip constraint correction applied to probabilistic fracture mechanics analyses of floating production, storage and off-loading vessels

N.-A. Noda and **Y. Takase** 1447 Generalized stress intensity factors of V-shaped notch in a round bar under torsion, tension, and bending

Technical Note
M. Elgueta 1467 Numerical correction of Weibull function's nomogram for three-point bending test

1471 Calendar

I Keywords

NUMBER 12

K. Solanki, S. R. Daniewicz and **J. C. Newman Jr.** 1475 Finite element modeling of plasticity-induced crack closure with emphasis on geometry and mesh refinement effects

S. Ribeiro-Ayeh and **S. Hallström** 1491 Strength prediction of beams with bi-material butt-joints

T. Shiotani, J. Bisschop and **J. G. M. Van Mier** 1509 Temporal and spatial development of drying shrinkage cracking in cement-based materials

J. P. Tronskar, M. A. Mannan and **M. O. Lai** 1527 Correlation between quasi-static and dynamic crack resistance curves

R. Schiffmann, J. Heyer and **W. Dahl** 1543 On the application of the damage work density as a new initiation criterion for ductile fracture

D. P. Patil and **S. K. Maiti** 1553 Detection of multiple cracks using frequency measurements

S. Gao, K. Nakasa and **M. Kato** 1573 Analysis and simulation of cracking patterns in coating under biaxial tensile or thermal stress using analysis/FEM strain-accommodation method

1593 Calendar

I Keywords

NUMBER 13

A. Pirondi 1597 Suitability of mixed-mode I/II assessment methods for implementation into the SINTAP procedure

H. M. Jensen 1611 Crack initiation and growth in brittle bonds

G. P. Potirniche and **S. R. Daniewicz** 1623 Analysis of crack tip plasticity for microstructurally small cracks using crystal plasticity theory

S. Lee and **G. Ravichandran** 1645 Crack initiation in brittle solids under multiaxial compression

M. P. Wnuk and **A. Yavari** 1659 On estimating stress intensity factors and modulus of cohesion for fractal cracks

J. H. Chang and **D. J. Wu** 1675 Calculation of mixed-mode stress intensity factors for a crack normal to a bimaterial interface using contour integrals

T. A. Jenne, W. D. Keat and **M. C. Larson** 1697 Limits of crack growth stability in the double cleavage drilled compression specimen

J. M. Ambrico and **M. R. Begley** 1721 The role of flaw geometry in thin film delamination from two-dimensional interface flaws along free edges

1737 Calendar

I Keywords

NUMBER 14

W. Brocks and **A. Cornec** 1741 Guest editorial

R. de Borst 1743 Numerical aspects of cohesive-zone models

J. Planas, M. Elices, G. V. Guinea, F. J. Gómez, D. A. Cendón and **I. Arbilla** 1759 Generalizations and specializations of cohesive crack models

H. Gao and **B. Ji** 1777 Modeling fracture in nanomaterials via a virtual internal bond method

E. P. Prado and **J. G. M. van Mier** 1793 Effect of particle structure on mode I fracture process in concrete

A. Carpinteri, P. Cornetti, F. Barpi and **S. Valente** 1809 Cohesive crack model description of ductile to brittle size-scale transition: dimensional analysis vs. renormalization group theory

B. F. Sørensen and **T. K. Jacobsen** 1841 Determination of cohesive laws by the *J* integral approach

V. Tvergaard 1859 Cohesive zone representations of failure between elastic or rigid solids and ductile solids

W. Xuan, W. A. Curtin and **A. Needleman** 1869 Stochastic microcrack nucleation in lamellar solids

Z.-H. Jin, G. H. Paulino and **R. H. Dodds Jr.** 1885 Cohesive fracture modeling of elastic–plastic crack growth in functionally graded materials

F. J. Gómez and **M. Elices** 1913 Fracture of components with V-shaped notches

H. Yuan and **J. Chen** 1929 Computational analysis of thin coating layer failure using a cohesive model and gradient plasticity

I. Scheider and **W. Brocks** 1943 Simulation of cup–cone fracture using the cohesive model

A. Cornec, I. Scheider and **K.-H. Schwalbe** 1963 On the practical application of the cohesive model

1989 Calendar

I Keywords

NUMBER 15

K. Kuntiyawichai and **F. M. Burdekin** 1991 Engineering assessment of cracked structures subjected to dynamic loads using fracture mechanics assessment

I. Barsoum and **K. S. Ravi Chandran** 2015 Stress intensity factor solutions for cracks in finite-width three layer laminates with and without residual stress effects

C. Carloni, A. Piva and **E. Viola** 2033 An alternative complex variable formulation for an inclined crack in an orthotropic medium

I. V. Rokach 2059 On the numerical evaluation of the anvil force for accurate dynamic stress intensity factor determination

Z. Kamio, H. Matsushita and **B. Strnadel**	2075	Statistical analysis of ice fracture characteristics
T. Kitamura, H. Hirakata and **T. Itsuji**	2089	Effect of residual stress on delamination from interface edge between nano-films
N. W. Klingbeil and **S. Bontha**	2103	A maximum allowable flaw size for debond-resistant bimaterial layers
A. V. Dyskin, E. Sahouryeh, R. J. Jewell, H. Joer and **K. B. Ustinov**	2115	Influence of shape and locations of initial 3-D cracks on their growth in uniaxial compression
M. C. García-Leiva, I. Ocaña, A. Martín-Meizoso, J. M. Martínez-Esnaola, V. Marqués and **F. Heredero**	2137	High temperature tensile and fatigue behaviour of the unidirectionally reinforced MMC Ti64/SiC
C. Bernal, H. López Montenegro and **P. Frontini**	2149	Failure prediction analysis for polyethylene flawed pipes
Yu. A. Chernyakov, V. Grychanyuk and **I. Tsukrov**	2163	Stress–strain relations in elastoplastic solids with Dugdale-type cracks
S. C. Forth, L. H. Favrow, W. D. Keat and **J. A. Newman**	2175	Three-dimensional mixed-mode fatigue crack growth in a functionally graded titanium alloy
J. Zhao, Y. Mutoh, Y. Miyashita and **L. Wang**	2187	Fatigue crack growth behavior of Sn–Pb and Sn-based lead-free solders
D. K. L. Tsang, S. O. Oyadiji and **A. Y. T. Leung**	2199	Multiple penny-shaped cracks interaction in a finite body and their effect on stress intensity factor
M. A. Sutton, A. P. Reynolds, B. Yang and **R. Taylor**	2215	Mixed mode I/II fracture of 2024-T3 friction stir welds
M. Yoda, M. Nabetani and **H. Okabe**	2235	Creep crack growth characteristics of polypropylene film at various temperatures
Technical Note **C. L. Tan** and **X. Wang**	2247	The use of quarter-point crack-tip elements for *T*-stress determination in boundary element method analysis
	2253	Calendar
	I	Keywords

NUMBER 16

A. Carpinteri and **B. L. Karihaloo** — 2255 Foreword

K. Duan, X. Hu and **F. H. Wittmann** — 2257 Boundary effect on concrete fracture and non-constant fracture energy distribution

M. A. Gutiérrez and **R. De Borst** — 2269 Simulation of size-effect behaviour through sensitivity analyses

J. G. M. Van Mier and **M. R. A. Van Vliet** — 2281 Influence of microstructure of concrete on size/scale effects in tensile fracture

R. Ince, A. Arslan and **B. L. Karihaloo** — 2307 Lattice modelling of size effect in concrete strength

A. Carpinteri, B. Chiaia and **P. Cornetti** — 2321 On the mechanics of quasi-brittle materials with a fractal microstructure

2351 Calendar

I Keywords

NUMBER 17

S. J. Matysiak and **V. J. Pauk** — 2353 Edge crack in an elastic layer resting on Winkler foundation

S. Roychowdhury and **R. H. Dodds Jr.** — 2363 A numerical investigation of 3-D small-scale yielding fatigue crack growth

B. L. Karihaloo, P. F. Shao and **Q. Z. Xiao** — 2385 Lattice modelling of the failure of particle composites

B. L. Karihaloo, H. Abdalla and **Q. Z. Xiao** — 2407 Coefficients of the crack tip asymptotic field for wedge splitting specimens

A. H. Priest — 2421 The influence of structural dimensions on crack arrest

K. S. Bhalla, A. T. Zehnder and **X. Han** — 2439 Thermomechanics of slow stable crack growth: closing the loop between experiments and computational modeling

K. Krompholz and **D. Kalkhof** — 2459 Fracture initiation of geometrically scaled, notched three-point-bend bars of a low-alloy ferritic steel

M. N. James, M. N. Pacey, L.-W. Wei and **E. A. Patterson** — 2473 Characterisation of plasticity-induced closure—crack flank contact force versus plastic enclave

J. Wainstein, L. A. de Vedia and **A. N. Cassanelli** 2489 A study to estimate crack length using the separability parameter S_{pb} in steels

2497 Calendar

I Keywords

NUMBER 18

G. Z. Wang, J. G. Wang and **J. H. Chen** 2499 Effects of geometry of notched specimens on the local cleavage fracture stress σ_f of C–Mn steel

R. Huang, J. H. Prévost, Z. Y. Huang and **Z. Suo** 2513 Channel-cracking of thin films with the extended finite element method

E. Mahgoub, X. Deng and **M. A. Sutton** 2527 Three-dimensional stress and deformation fields around flat and slant cracks under remote Mode I loading conditions

J. R. Klepaczko and **P. Chevrier** 2543 A meso-model of spalling with thermal coupling for hard metallic materials

J. Smart, B. C. Mitchell, S. L. Fok and **B. J. Marsden** 2559 The effect of the threshold stress on the determination of the Weibull parameters in probabilistic failure analysis

G.-Y. Lin and **D. K. Shetty** 2569 Transformation zones, crack shielding, and crack-growth resistance of Ce-TZP/alumina composite in mode II and combined mode II and mode I loading

K. Wallin 2587 Master Curve implementation of the warm pre-stress effect

T. Takamatsu, T. Shimokawa, T. Matsumura, Y. Miyoshi and **Y. Tanabe** 2603 Evaluation of fatigue crack growth behavior of GLARE3 fiber/metal laminates using a compliance method

Technical Note

M. Vorel and **M. Růžička** 2617 Fatigue threshold and crack growth in an electron beam weld made of steel and bronze

2625 Calendar

III Contents list

XVI Author Index

XIX Keywords